

08/30/00
JCS13 U.S. PTOBOX
PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Attorney Docket No. 2590

TRANSMITTAL LETTER

Bellevue, Washington 98007

1C952 U.S. PTO
09/651406
08/30/00

August 30, 2000

TO THE ASSISTANT COMMISSIONER FOR PATENTS:

Transmitted herewith for filing under 137 C.F.R. § 1.53(b) by Express Mail is the

a. complete
 b. incomplete

patent application of James C. MONBERG, Rico MARIANI, Gilma A.Z. PERKINS, and John G. CAREY,

Title: **METHOD AND SYSTEM FOR PROVIDING SERVICE LISTINGS IN ELECTRONIC YELLOW PAGES**

1. An application consisting of 32 pages of cover page, specification, claims and abstract and 6 sheets of formal drawings is attached.

2. A newly executed Declaration and Power of Attorney is attached.

3. An Assignment of the invention to Microsoft Corporation is attached. A Cover Sheet prepared in accordance with 37 C.F.R. § 3.31 is attached to the Assignment. Please record this Assignment in accordance with 37 C.F.R. § 3.11. The enclosed credit card payment form includes the \$40 Assignment fee.

4. A filing date in accordance with 37 C.F.R. § 1.10 is requested. The Express Mail Certificate appears on the preceding page.

5. The following additional documents are enclosed: Certificate of Express Mail, Return Postcard.

BOX
PATENT APPLICATION

COMPUTATION OF FEE

	Number Filed		Number Extra		Rate		Basic Rate \$690.00
Total Claims	20	=	0	x	\$18/\$9	=	0.00
Independent Claims	5	=	2	x	\$78/\$39	=	156.00
Multiple Dependent Claims	-0-		---		\$260/\$130	=	
TOTAL							\$846.00

X 6. A Credit Card Payment form authorizing charges in the amount of \$886.00 to cover the total fee as computed above plus the \$40.00 Assignment fee is enclosed.

Please address all further correspondence to:

MICHALIK & WYLIE^{PLLC}

14645 Bel-Red Road

Suite 103


Bellevue, WA 98007

Phone: (425) 653-3520

fax: (425) 653-3603

Respectfully submitted,

MICHALIK & WYLIE^{PLLC}



Roger D. Wylie
Registration No. 36,974

In re Application of MONBERG et al.
Attorney Docket No. 2590

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

"Express Mail" mailing label number EE591456224US

Date of Deposit: August 30, 2000

I hereby certify that the following documents:

New Patent Application in the name of James C. MONBERG, Rico MARIANI, Gilma A.Z. PERKINS, and John G. CAREY for **"Method And System For Providing Service Listings In Electronic Yellow Pages,"** including 1 Page of Cover Sheet, 25 Pages Specification, 5 Pages Claims, 1 Page Abstract, 6 Sheets Of Drawings, Transmittal Sheet, Credit Card Payment Form, Executed Declaration and Power of Attorney, Assignment Recordation Cover Sheet and Assignment

are being deposited with the United States Postal Service "Express Mail Post Office To Addressee" Service under 37 C.F.R. 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Sherie L. Dodson

(Typed or printed name of person mailing paper or fee)



(Signature of person mailing paper or fee)

S P E C I F I C A T I O N

TO ALL WHOM IT MAY CONCERN:

Be it known that we, James Monberg, a citizen of the United States, residing at 4107 Baker Ave. NW, Seattle, Washington 98107, Rico Mariani, a citizen of Canada, residing at 13433 NE 104th Street, Kirkland, Washington 98033, Gilma Perkins, a citizen of the United States, residing at 10712 - 151st Ct NE, Redmond, Washington 98052, and John Carey, a citizen of the United States, residing at 2423 196th Ave SE, Sammamish, Washington 98075, have invented a certain new and useful **METHOD AND SYSTEM FOR PROVIDING SERVICE LISTINGS IN ELECTRONIC YELLOW PAGES** of which the following is a specification.

METHOD AND SYSTEM FOR PROVIDING SERVICE LISTINGS
IN ELECTRONIC YELLOW PAGES

FIELD OF THE INVENTION

5 The present invention generally relates to Internet directories, and more specifically to a system for displaying merchants in an Internet yellow pages directory.

BACKGROUND OF THE INVENTION

10 Internet yellow pages are a useful tool for finding a particular entity, e.g., business, or finding a type of entity in a selected region. Some contemporary Internet yellow pages permit a user to direct a search to a particular region, such as a ZIP code defined region, a city, or a state (a "bounded 15 query"). The results of the search identify business, or a particular number of businesses if the query is numerically limited, that have a physical presence (e.g., office) or a mailing address within that particular region.

Another search may be directed to businesses located 20 closest to a particular proximity (a "proximity query"), for example all businesses within 10 miles of a selected location. A proximity query may be defined by a latitude and longitude on a map, and may be limited by a defined radius or number of listings, e.g., the ten closest businesses meeting the search

criteria. A user may enter an address or ZIP code, and business listings are returned, usually listed in order of closest proximity to the entered location. If the user enters a ZIP code for the location search, a single address may be 5 used for the ZIP code, such as a central location within the ZIP code, the location of the post office within the ZIP code, or a midpoint between multiple post offices.

One problem with these systems is that a merchant that services a particular area, but does not reside in that area, 10 is not found in a bounded query directed to the area. In addition, the service merchant does not have a physical address in the area that can meet the criteria for returning a listing in response to a proximity query. For example, some mobile businesses (e.g., plumbers) service an area but do not 15 have a physical office in the area. A bounded query directed to the area (e.g., directed to a particular ZIP code) does not return a listing for the mobile business. Likewise, a mobile business listing most likely is not returned in response to a proximity query, because there are likely other businesses 20 that have a closer physical location than the business office for the mobile business. The listings for closer businesses are returned in response to the proximity query. In some circumstances, the closer businesses may not serve the location upon which the proximity query was based, but have

their listings returned because their business offices or mailing addresses are closer than the business offices for some merchants that do serve the area.

As another example, a delivery business (e.g., pizza

5 delivery) may deliver items or services to a region in which the business does not have a physical presence. Still another example is a regional or territorial business that may have one office per a given region (e.g., one office in a city), but may service a much larger area (e.g., the entire city). A 10 final example is a business without any physical presence, such as an online business. The online business may only service particular regions, such as a grocery delivery service that only delivers to a particular city. None of these merchants would be found in a bounded-query search directed to 15 the region unless the business office for the merchant was in the region, and would not be returned in response to a proximity query unless the business office happened to be located close enough to the location upon which the search was based.

20

SUMMARY OF THE INVENTION

The present invention provides a system for allowing merchants that are outside of a given geographical boundary, but service inside the geographical boundary, to be included

in a result set of a bounded query directed to a location inside the geographical boundary. In addition, the system permits the merchant to be included in a result set for a proximity query, despite the merchant's place of business

5 being located outside the boundaries of the proximity query.

To this end, a schema is defined for a requesting merchant ("regional service merchants") that associates the regional service merchant with additional location bindings (e.g., ZIP codes) in which the regional service merchant provides

10 services. For each business and each category to which a regional service merchant belongs, an entry is written to a database for associating each location binding that the business services with the regional service merchant.

In practice, to locate a business, a user requests a business listing by subject or name, and a particular geographical region, either via a bounded query or a proximity query. An Internet information server extracts location and category or name information from the search, and forwards a request to a SQL server for matches. For a bounded query (e.g., directed to one or more ZIP codes), the ZIP codes are

15 retrieved for that region and used to query for merchants having categories and/or names that meet the search requirements. In this manner, a regional service merchant is included in a region search where one or more ZIP codes match.

For a proximity search, listings for regional service merchants may be returned in response to a request made within a ZIP code that corresponds to the starting point of the proximity search. Since distance from the starting point is 5 not a factor for regional service merchants, they may be added as desired to give meaningful results to the user (e.g., to the top of the list of result set).

To provide such an enhanced result set, regional service merchants are stored in a richer schema than ordinary 10 businesses. This richer schema provides lines of text and/or a descriptive glyph or glyphs for each regional service merchant. The text and/or glyphs are returned along with the regional service merchant's business listing so as to explain to a user why a business this is not physically residing in 15 the search area has been included in the result set. The text or glyph may indicate, for example, that a regional service merchant is mobile, territorial, or a delivery service. The text may also describe the business' service area. An application programming interface ensures that, if 20 the business is listed as a regional service merchant, then the text and/or glyph is stored in association with the business listing.

Other advantages will become apparent from the following detailed description when taken in conjunction with the drawings, in which:

5

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 is a block diagram representing a computer system into which the present invention may be incorporated;

FIG. 2 is a functional block diagram that represents an illustrative system for providing regional service merchant 10 listings for a search in accordance with one aspect of the present invention;

FIGS. 3 and 4 are representations of data entries for a business in accordance with one aspect of the present invention;

FIG. 5 is a representation of a search page for accessing yellow page information in accordance with one aspect of the present invention;

FIG. 6 is a representation of four data entries for a business in accordance with one aspect of the present 20 invention;

FIG. 7 is a representation of a data entry for maintaining regional service information for a business in accordance with another aspect of the present invention;

FIG. 8 is a representation of a web page showing the results of a yellow pages search in accordance with one aspect of the present invention; and

FIGS. 9 and 10 comprise a flow diagram generally 5 representing steps for providing regional service merchant listings for a search in accordance with one aspect of the present invention.

DETAILED DESCRIPTION

10 Exemplary Operating Environment

FIG. 1 and the following discussion are intended to provide a brief general description of a suitable computing environment in which the invention may be implemented. Although not required, the invention will be described in the 15 general context of computer-executable instructions, such as program modules, being executed by a personal computer. Generally, program modules include routines, programs, objects, components, data structures and the like that perform particular tasks or implement particular abstract data types.

20 Moreover, those skilled in the art will appreciate that the invention may be practiced with other computer system configurations, including hand-held devices, microprocessor-based or programmable consumer electronics, network PCs, minicomputers, mainframe computers and the like. The

invention may also be practiced in distributed computing environments where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules may be 5 located in both local and remote memory storage devices.

With reference to FIG. 1, an exemplary system for implementing the invention includes a general purpose computing device in the form of a conventional personal computer 20 or the like, including a processing unit 21, a 10 system memory 22, and a system bus 23 that couples various system components including the system memory to the processing unit 21. The system bus 23 may be any of several types of bus structures including a memory bus or memory controller, a peripheral bus, and a local bus using any of a 15 variety of bus architectures. The system memory includes read-only memory (ROM) 24 and random access memory (RAM) 25. A basic input/output system 26 (BIOS), containing the basic routines that help to transfer information between elements within the personal computer 20, such as during start-up, is 20 stored in ROM 24. The personal computer 20 may further include a hard disk drive 27 for reading from and writing to a hard disk, not shown, a magnetic disk drive 28 for reading from or writing to a removable magnetic disk 29, and an optical disk drive 30 for reading from or writing to a

removable optical disk 31 such as a CD-ROM or other optical media. The hard disk drive 27, magnetic disk drive 28, and optical disk drive 30 are connected to the system bus 23 by a hard disk drive interface 32, a magnetic disk drive interface 5 33, and an optical drive interface 34, respectively. The drives and their associated computer-readable media provide non-volatile storage of computer readable instructions, data structures, program modules and other data for the personal computer 20. Although the exemplary environment described 10 herein employs a hard disk, a removable magnetic disk 29 and a removable optical disk 31, it should be appreciated by those skilled in the art that other types of computer readable media which can store data that is accessible by a computer, such as magnetic cassettes, flash memory cards, digital video disks, 15 Bernoulli cartridges, random access memories (RAMs), read-only memories (ROMs) and the like may also be used in the exemplary operating environment.

A number of program modules may be stored on the hard disk, magnetic disk 29, optical disk 31, ROM 24 or RAM 25, 20 including an operating system 35, (including a file system 36 therein and/or associated therewith), one or more application programs 37, other program modules 38 and program data 39. A user may enter commands and information into the personal computer 20 through input devices such as a keyboard 40 and

pointing device 42. Other input devices (not shown) may include a microphone, joystick, game pad, satellite dish, scanner or the like. These and other input devices are often connected to the processing unit 21 through a serial port 5 interface 46 that is coupled to the system bus, but may be connected by other interfaces, such as a parallel port, game port or universal serial bus (USB). A monitor 47 or other type of display device is also connected to the system bus 23 via an interface, such as a video adapter 48. In addition to 10 the monitor 47, personal computers typically include other peripheral output devices (not shown), such as speakers and printers.

The personal computer 20 may operate in a networked environment using logical connections to one or more remote 15 computers, such as a remote computer 49. The remote computer 49 may be another personal computer, a server, a router, a network PC, a peer device or other common network node, and typically includes many or all of the elements described above relative to the personal computer 20, although only a memory 20 storage device 50 has been illustrated in FIG. 1. The logical connections depicted in FIG. 1 include a local area network (LAN) 51 and a wide area network (WAN) 52. Such networking environments are commonplace in offices, enterprise-wide computer networks, intranets and the Internet.

When used in a LAN networking environment, the personal computer 20 is connected to the local network 51 through a network interface or adapter 53. When used in a WAN networking environment, the personal computer 20 typically

5 includes a modem 54 or other means for establishing communications over the wide area network 52, such as the Internet. The modem 54, which may be internal or external, is connected to the system bus 23 via the serial port interface

46. In a networked environment, program modules depicted

10 relative to the personal computer 20, or portions thereof, may be stored in the remote memory storage device. It will be appreciated that the network connections shown are exemplary and other means of establishing a communications link between the computers may be used.

15

Providing Service Listings In Electronic Yellow Pages

Briefly described, the present invention provides a method and system for allowing merchants that are outside of a given geographical boundary, but provide service to the

20 geographical boundary, to be included in a result set (e.g., of a bounded query) despite the merchant's actual physical location being located outside the geographical boundary. In addition, the system permits the merchant's listing to be included in a result set for a proximity query directed to a

location in the area. To this end, the present invention provides additional location bindings (e.g., ZIP codes) in which the regional service merchant provides services, but in which the regional service merchant does not have a physical address. A binding is created between the regional service merchant and each business and each category to which the regional service merchant belongs.

FIG. 2 is a functional block diagram that, together with the following discussion, provides a description of an illustrative system 200 for providing service listings in electronic yellow pages in accordance with the present invention. The system 200 includes a client machine 202 (e.g., the computer system 20) coupled to a web server machine 204 (e.g., the remote computer 49). The client machine 202 and the web server machine 204 may communicate with each other through the Internet 206. Alternatively, the client machine 202 and the web server machine 204 may be connected in another manner, such as through a Local Area Network described above. In addition, the functions of the client machine 202 and the web server machine 204 may be provided on one physical machine.

A tool user machine 208 is similarly coupled to the web server machine 204, via the Internet 206, a Local Area Network, or the like. Alternatively, the functions of the web server machine 204 and the tool user machine 208 may be

provided on one machine, or the functions of the client machine 202 and the web server and tool user machines 204, 208 may be provided on one machine or may be distributed over multiple machines.

5 The client machine 202 includes network access software, such as a browser 210. The web server machine 204 includes web server software 212 for accessing and serving content to the browser upon request. The web server software 212 may be, for example, Microsoft Corporation's Internet Information

10 Server (IIS) software. As part of its features, the web server software 212 includes data access software 214. The data access software 214 includes database query software, such as structured query language (SQL) software, for example as is provided with Microsoft Corporation's SQL server

15 software. The web server machine 204 also includes web files 215 that provide web pages for requesting yellow pages listings. The web server machine includes or is associated with at least one database 218.

 The tool user machine 208 includes a special application 20 programming interface (API) 220. As is described further below, the data entry tool set 222 accesses the database 218 via the API 220 and data access software 216. The API 220 exists to automatically enforce various business rules that are required to maintain the logical consistency of the data

in the database. These rules include restrictions on the type and nature of regional service merchants (e.g., the regional service merchant must be exactly one of mobile, territorial, or delivery - they must have glyphs and/or text, and so forth).

The database 218 maintains a schema that includes at least one entry for each business listed with the yellow pages. The business information is grouped, referenced and categorized according to a defined taxonomy. For a typical business, the listing may include the category (e.g., "pizza delivery"), the location of the business (i.e., address), the ZIP code of the location, a unique identification for the business and the name of the business. An example of such a business entry 300 is shown in FIG. 3. For ease of explanation, a field descriptor bar is shown above the corresponding columns of the business entry 300. The field descriptor bar provides a textual field description for each of the associated columns in the business entry 300 and is not typically included in the business entry. For the entry shown in FIG. 3, a pizza delivery business is listed as being located at 111 2nd Ave., in the ZIP code 98199, with a name "Pizza Pronto", and an identification of "00001". The business may also be listed in other categories. For example, Pizza Pronto may also be listed under the category

"restaurants". For each additional category, a separate entry 400, such as is shown in FIG. 4, is entered in the database for the business. An Internet yellow pages provider may choose to require a business to pay extra to have multiple 5 category entries. The multiple entries permit the business to be found utilizing a number of different search criteria.

To locate a business, a user first navigates to a yellow page website, such as the web page 500 shown in FIG. 5. As one skilled in the art will appreciate, remote files such as 10 the web page 500 may be accessed, such as via the File Transfer Protocol (FTP) via the Internet 206, or as a file copy over the optional Local Area Network, but preferably via the standard Hypertext Transfer Protocol (HTTP) which is now most prevalent on the Internet. To access a remote web file, 15 a user may, for example, enter a uniform resource locator (URL) in the browser 210 on the client machine 202. In one example, the web page 500 is one of the web files 215 and is served to a user by the web server machine 202.

The web page 500 includes a data entry field 502 for 20 entering search criteria, such as a category or business name. The user may request either a boundary query, such as by entering a ZIP code, city, or neighborhood, or a proximity query, by entering an address, ZIP code, coordinates, or the like. Fields 504 may be provided for selecting a particular

type of search. Selecting a field may pop up a data entry field for entering the proper information, such as an address that is to be used in a proximity query. Alternatively, the user may be navigated to another page to enter the address or

5 location information.

After the user enters the appropriate information, a search is requested (e.g., by clicking on a "GO" button 506). The data entered by the user is forwarded to the web server machine 202, and is received by the web server software 212.

10 The data access software 214 removes the location information and extracts the appropriate business listings from the database 218.

It can be understood that the present invention is highly amenable to implementation on the web in a variety of 15 configurations that are typical of existing business directories, and a database or any other data store may be utilized for business listing retrievals. To this end, retrieval can be accomplished via the most basic access to a computer file for small business sets or through something as 20 complicated as an optimized SQL query for large business sets.

An exemplary process that may be used by the data access software 214 to retrieve appropriate businesses and/or name information is described in U.S. application no. 09/629,275, filed July 31, 2000, entitled "Business Directory Search

Engine," and incorporated herein by reference. Briefly described, the data access software 214 matches the location and name or category information entered by a user with entries in the database to return a business listings result set. The data access software may need to convert address information to a longitude and latitude point, and may have to use an intelligent inquiry to obtain appropriate matches. The records are extracted by the data access software 214, forwarded to the web server machine, which in turn serves the records to the client machine 202 so that the records may be displayed by the browser 210.

As described in the background section, the entries described above do not permit a business that is servicing an area, but is not listed in the area (a "regional service merchant"), to be returned in the result set for a search directed to the area. Using the previous example, Pizza Pronto may deliver pizza to the ZIP codes 98197 and 98198, in addition to 98199. If only the listings above were available for the business, then a bounded query search directed to 98197 or 98198 would not return Pizza Pronto. In addition, a proximity search directed to a location in one of these ZIP codes would not return Pizza Pronto, unless 111 2nd Ave. is coincidentally close enough to the location to be in the result set for the search.

In accordance with one aspect of the invention, separate entries are provided for a regional service merchant that associate the regional service merchant with additional location bindings (e.g., ZIP codes) in which the regional service merchant provides services. For each business and each category to which a regional service merchant belongs, an entry is written to the database 218 for associating each location binding that the business services with the regional service merchant.

Again referencing the example above, separate entries are entered in the database 218 for each ZIP code and category to which Pizza Pronto belongs. FIG. 6 shows four additional entries 600 for Pizza Pronto that are used to indicate that the business services the 98197 and 98198 ZIP codes. Each entry additionally includes information that the entry is a regional service merchant entry ("RSM"). In the example shown, this information is an additional field filled with "RSM", but other information could be utilized, such as writing the entry to a separate database, or maintaining a separate data store that includes a list of all regional service merchant entries.

The regional service merchant entries permit regional service merchants to be returned in a search directed to the serviced region. For a bounded query (e.g., directed to one

or more ZIP codes), the ZIP codes are retrieved for that region and queried against merchants and categories and/or names that meet the search requirements. Because the regional service merchant entries include ZIP code matches for regions
5 serviced by the regional service merchant, the regional service merchant is included in a region search where one or more ZIP codes match. For a proximity search, regional service merchants may be returned against a request made for a location within a ZIP code in which the regional service
10 merchants are registered.

In accordance with another aspect of the present invention, schema is maintained for the regional service merchants that includes lines of text and/or a glyph or glyphs. The text and/or a glyph may be maintained in a schema
15 separate from the regional service merchant entries, or may be maintained as a separate entry and accessed via the SQL software, such as the data access software 214.

When a search is conducted, the text and/or glyphs are returned along with the regional service merchant's business
20 listing so as to explain to a user why a business not physically residing in the search area has been included in the result set. The text or glyph may indicate, for example, that a regional service merchant is a mobile, a territorial, or a delivery service.

FIG. 7 shows an example of an entry 700 for the text and glyph schema maintained for the regional service merchant Pizza Pronto described in the above example. In this example, the text and glyph schema is maintained separate from the 5 regional service merchant schema. The business ID is also maintained with the entry so that the text and glyph may be easily cross-referenced with the regional service merchant schema. In FIG. 7, both a text entry "delivers to the area" 702 and a glyph 704, in the shape of a bicycle, are maintained 10 for Pizza Pronto. One or both may be returned with the result set, and the web server machine and/or the browser may choose to display one or both based upon the browser's capabilities and/or available web page space. The text may also be used as free text to describe the region serviced by the regional 15 service merchant (e.g., "Serving the greater Seattle Metro area"). As is described in the background section, an RSM merchant may be an eCommerce merchant. The text and/or glyph may define the region serviced by the eCommerce merchant, and may convey the fact that the regional service merchant is an 20 eCommerce business.

Entries in the database 218 may be entered or amended via the data entry tool set 222. The application programming interface 220 ensures that, if the business is listed as a regional service merchant, then text and/or glyph indicating

that the business is a regional service merchant is stored in association with the business listing. This process ensures that text and/or a glyph is available so that the regional service merchant is properly portrayed as such to the user.

- 5 To do this, the application programming interface 220 may, for example, ensure that information regarding the fact that the business is a regional service merchant is stored with the regional service merchant entries (e.g., the entry "RSM"), and that text and/or glyph is stored in association with a
- 10 regional service merchant entry.

FIG. 8 shows a web page 800 that displays the results of a search conducted via the search page 500. The search is directed to "pizza" and the ZIP code "98198". The data access software finds a closest match to pizza to be the category

15 "pizza delivery", and returns merchants that are registered in that category and with the zip code 98198. The search returns, among other merchants, Pizza Pronto. In this example, regional service merchants are returned at the top of the list, but they could be listed alphabetically, in

20 accordance with fees paid to the yellow pages provider, or in another desired order. The text 702 and glyph 704 are returned with the result set, and are displayed on the page along with the Pizza Pronto listing so that a user may know that the listing is that of a regional service merchant.

Turning now to an explanation of the operation of the present invention, FIGS. 9 and 10 show a general overview of a process for returning a regional service merchant in response to a search directed to a region in which the regional service 5 merchant service does not have a physical address in accordance with one aspect of the present invention.

Beginning at step 900, a user enters a request for business listings by selecting or inputting location and category information. The user may, for example, enter a category and 10 a zip code via the yellow pages web page 300.

At step 902 the stored remote service merchant data about a business is retrieved. Retrieval can be accomplished via the most basic access to a computer file for small business sets or through something as complicated as an optimized SQL 15 query for large business sets. The invention may be effectively practiced using any number of data stores.

At step 904, the data access software accesses an entry, and determines if it matches the entered ZIP code or codes (step 906). If not, then the data access software determines 20 if all entries have been accessed (step 908). If not, then the process loops back to step 904 and the data access software accesses the next entry. This process continues until the data access software accesses a match for the ZIP code(s), where step 906 branches to step 910. The data access

software then determines if the category of the entry having the correct zip code matches the category entered in the search, and if not, step 910 branches to step 908 where a determination is made whether all records have been accessed.

5 If not, then the process loops back to step 904 and the data access software accesses the next record. This process continues until the data access software accesses a match for the ZIP code(s) and the category, where step 906 branches to step 910, and step 910 branches to step 912, where the entry

10 matching both the ZIP code(s) and category information is retrieved. Step 912 then branches to step 908, where a determination is made whether all relevant entries have been accessed. If not, then the process loops back to step 904 where the next entry is accessed.

15 The foregoing steps describe a simplified approach to retrieving relevant entries. It can be understood that a more sophisticated logic may be used to speed up the process. For example, in a high performance implementation, steps 904 to 912 may be simultaneously executed in one omnibus query to an

20 optimizing SQL access layer. Use of SQL in this fashion is commonplace and providing as much information about the desired result set as possible to the SQL optimizer generally results in the best performance.

In any event, after all entries have been accessed, then step 908 branches to FIG. 10, where at step 1000 a determination is made whether a retrieved entry is a regional service merchant. If not, then step 1000 branches to step 5 1002, where the retrieved entry's listing is forwarded to the client machine for viewing in the browser. If the entry is a regional service merchant, then step 1000 branches to step 1004, where the RSM glyph and/or text for the entry are retrieved. The regional service merchant entry and the RSM 10 glyph and/or text are then served to the client machine at step 1006. In practice, the RSM entries and non-RSM entries may be sent to the client together, and sorting and other formatting parameters may be applied before the entries are sent.

15 The present invention is advantageous in that it permits a regional service merchant to be displayed in the result set for a search directed to an area, despite the regional service merchant not having a physical location in the area. In addition, the use of the text and/or glyph describes to the 20 user why the regional service merchant is displayed so as to avoid confusion.

While the invention is susceptible to various modifications and alternative constructions, a certain illustrated embodiment thereof is shown in the drawings and

has been described above in detail. It should be understood, however, that there is no intention to limit the invention to the specific form or forms disclosed, but on the contrary, the intention is to cover all modifications, alternative

5 constructions, and equivalents falling within the spirit and scope of the invention. It is especially noteworthy that this invention is amenable to deployment on a variety of network topologies, and while the exemplary embodiment is described with reference to directory access happening over the Internet
10 and tools use happening on a LAN-based client machine other topologies (such as the reverse of the exemplary embodiment, or either hybrid) are readily practicable.

WHAT IS CLAIMED IS:

1. In a computer system, a method comprising:

maintaining information associating a merchant with a

5 region in which the merchant provides service and in which the merchant does not include a physical location;

receiving a request directed to the region; and

returning information regarding the merchant according to the information associating the merchant with the region.

10

2. The method of claim 1, wherein maintaining information associating the merchant with a region comprises writing an entry into a database including information about the region and information about the merchant.

15

3. The method of claim 1, further comprising returning additional information regarding the merchant providing service to the region but not having a physical location in the region.

20

4. The method of claim 3, wherein the additional information comprises text.

5. The method of claim 3, wherein the additional information comprises a glyph.

6. A computer-readable medium having computer-
5 executable instructions for performing the method of claim 1.

7. The method of claim 1, wherein the region comprises a ZIP code or a set of ZIP codes.

10 8. A computer-readable medium having stored thereon a data structure, comprising:

a first data field containing data representing information about a merchant; and

a second data field associated with the first data field
15 and containing data representing a region in which the merchant provides service and in which the merchant does not include a physical location.

9. The data structure of claim 8, further comprising a
20 third data field, associated with the first data field, and including information regarding the merchant providing service to the region but not having a physical location in the region.

10. The data structure of claim 9, wherein the third data field comprises text that described the fact that the merchant providing service to the region but does not have a physical location in the region.

5

11. The data structure of claim 9, wherein the third data field comprises a glyph that indicates that the merchant providing service to the region but does not have a physical location in the region.

10

12. A computer-readable medium having stored thereon a data structure, comprising:

10 a first data field containing data representing information about a merchant; and

15 a second data field associated with the first data field and containing data representing information regarding the merchant providing service to a region but not having a physical location in the region.

20 13. The data structure of claim 12, wherein the second data field comprises text that described the fact that the merchant providing service to the region but does not have a physical location in the region.

14. The data structure of claim 12, wherein the second data field comprises a glyph that indicates that the merchant providing service to the region but does not have a physical location in the region.

5

15. A method in a computer system, comprising:
submitting a search query directed to businesses, the search query including a designation of a region;
receiving a business listing in response to the search
10 query, the business listing being associated with a merchant that provides service to the region but does not have a physical location in the region; and
receiving, along with the business listing, information regarding the fact that the merchant services the region but
15 does not have a physical location in the region.

16. The method of claim 15, further comprising displaying the information along with the business listing.

20 17. The method of claim 15, wherein the information comprises text.

18. The method of claim 15, wherein the information comprises text and a glyph.

19. The method of claim 15, wherein the information comprises a glyph.

5 20. A computer system comprising:

a data store for maintaining information about merchants that provide service to a region and that do not include a physical location in the region;

10 data entry tools for entering the information in the data store;

an application programming interface for ensuring that the information is stored with each merchant entered by the data entry tools.

ABSTRACT

A method and system for allowing a regional service merchant that is outside of a given geographical boundary, but 5 services inside the geographical boundary, to be included in a result set of a search directed to a location inside the geographical boundary. Text and/or glyphs are returned along with the regional service merchant's business listing so as to explain to a user why a business not physically residing in 10 the search area has been included in the result set. An application programming interface ensures that, if a business is listed as a regional service merchant, then the text and/or glyph is stored in association with the business listing.




FIG. 1




FIG. 2

I.D.	BUSINESS NAME	ADDRESS	ZIP	CATEGORY
00001	PIZZA PRONTO	111 2ND AVE.	98199	PIZZA DELIVERY

FIG. 3

300

I.D.	BUSINESS NAME	ADDRESS	ZIP	CATEGORY
00001	PIZZA PRONTO	111 2ND AVE.	98199	RESTAURANT

FIG. 4

400

I.D.	BUSINESS NAME	ADDRESS	ZIP	CATEGORY	
00001	PIZZA PRONTO	111 2ND AVE.	98197	PIZZA DELIVERY	RSM
00001	PIZZA PRONTO	111 2ND AVE.	98198	PIZZA DELIVERY	RSM
00001	PIZZA PRONTO	111 2ND AVE.	98197	RESTAURANT	RSM
00001	PIZZA PRONTO	111 2ND AVE.	98198	RESTAURANT	RSM

FIG. 6

600

I.D.	TEXT	704	GLYPH
00001	"DELIVERS TO THE AREA"		

FIG. 7

700

702




FIG. 5




FIG. 8




FIG. 9




FIG. 10

PATENT
Attorney Docket No. 2590

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: "**Method and System for Providing Service Listings in Electronic Yellow Pages**," the specification of which is attached hereto unless the following box is checked:

was filed on _____, as United States Application Serial No. _____ or PCT International Application No. _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s) Priority Not Claimed

(Number) _____ (Country) _____ (Day/Month/Year Filed) _____

(Number) _____ (Country) _____ (Day/Month/Year Filed) _____

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below.

(Application Number) _____ (Filing Date) _____

(Application Number) _____ (Filing Date) _____

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or § 365(c) of any PCT international application(s) designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application(s) in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. § 1.56 which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application.

(Application Number) _____ (Filing Date) _____ (Status – patented, pending, abandoned) _____

As a named inventor, I hereby appoint the following attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Albert S. Michalik, Reg. No. 37,395 Roger D. Wylie, Reg. No. 36,794
Daniel D. Crouse, Reg. No. 32,022 Katie E. Sako, Reg. No. 32,628

Address all telephone calls to Roger D. Wylie at telephone number (425) 653-3520.

Address all correspondence to: Michalik & Wylie, PLLC
14645 Bel-Red Road
Suite 103
Bellevue, WA 98007

I hereby declare that all statements made herein of my own knowledge are true, that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor: James C. Monberg

Inventor's signature 

Date 8-24-2000

Country of Citizenship: USA

Residence: 4107 Baker Ave. NW, Seattle, WA 98107

Post Office Address: Same

Full name of second inventor: Rico Mariani

Inventor's signature 

Date 8-24-2000

Country of Citizenship: Canada

Residence: 13433 NE 104th St., Kirkland WA 98033

Post Office Address: Same

Additional inventors are being named on separately numbered sheets attached hereto.

Full name of **third inventor:** Gilma A.Z. Perkins

Inventor's signature Gilma A.Z. Perkins

Date _____

Country of Citizenship: USA

Residence: 10712 - 151st Ct NE, Redmond, WA 98052

Post Office Address: Same

Full name of **fourth inventor:** John G. Carey

Inventor's signature John G. Carey

Date 8/23/2000

Country of Citizenship: USA

Residence: 2423 196th Ave SE, Sammamish, WA 98075

Post Office Address: Same

Additional inventors are being named on separately numbered sheets attached hereto.

2590 declaration